

Powerful and economical through maintenance-free 3-phase AC drive motor

Manoeuvrable and compact through very short front length

Extremely space-saving and safe with tiller in upright position through crawl speed button

Sensitive lifting and lowering from the tiller through adjustable speed range of hydraulic motor

Integrated charger for easy charging at any mains socket



EJC 110/112

Electric pedestrian stacker (1000 and 1200 kg)

The pedestrian stackers of the EJC range 1 show their strength wherever transporting over short distances and stacking up to a lift height of 3600 mm take place. With a very short front length (L₂ dimension) of only 637 mm, the EJC is particularly effortless and safe to manoeuvre, even in confined spaces.

The high performance drive motor in 24 V 3-phase AC technology is an added bonus.

Its optimised efficiency factor ensures high speed and excellent acceleration in every situation – the best preconditions for fast, efficient goods throughput.

Another advantage: the lift control. This enables the operator to pick up loads accurately and sensitively. This makes particularly the depositing of large loads in narrow racking easier. The remarkably low noise development during slow lifting

also makes work for the operator easier. Proportional hydraulics ensure gentle depositing of the load on the floor or in the racking.

The required power is supplied to the EJC 110/112 via batteries with capacities up to 200 Ah. An integrated charger facilitates comfortable and reliable charging of the installed battery at any 230 V mains socket.

Korrekturabzug

Bitte nach genauer Durchsicht an ZK-W zurücksenden oder -faxen.
Mit Ihrer Unterschrift erteilen Sie uns

Druckfreigabe*

Fachabteilung _____ Datum _____

VS _____ Datum _____

VK _____ Datum _____

Korrektur/Freigabe spätestens bis: _____

*Dies enthebt uns der Verantwortung für eventuell übersehene Fehler!

**JUNGHEINRICH**

